INDEX TO VOLUME 72 (PART A) 1994

AUTHORS AND PAPERS

A

Abu-Hakmeh, E.A. (see Armenante, P.M.) 677

Ahmed, K., Islam, K.A. and Ali, S., An optimal operating policy for high temperature shift converters 645

Ahmed, N. (see Parthasarathy, R.) 565

Ali, S. (see Ahmed, K.) 645

Allen, R.M. and Bakker, H.H.C., Spray dryer control based on online particle size analysis 251

Armenante, P.M. and Abu-Hakmeh, E.A., A novel method for the experimental determination of the minimum agitation speed for complete liquid-liquid dispersion in agitated liquid-liquid-gas systems 677

Ashcroft, S.J., Harris, T.W.R. and Shearn, R.B., High pressure PVT measurements on separator crude oil/carbon dioxide mixtures 156

Austin, L.G. (see Woodburn, E.T.) 211

B

Baird, M.H.I. (see Rama Rao, N.V.) 485

Bakker, A. and van den Akker, H.E.A., A computational model for the gas-liquid flow in stirred reactions 594

Bakker, A. and van den Akker, H.E.A., Gas-liquid contacting with axial flow impellers 573

Bakker, A. and van den Akker, H.E.A., Single-phase flow in stirred reactors 583

Bakker, H.H.C. (see Allen, R.M.) 251

Bakker, R.A. and van den Akker, H.E.A., A computational study of chemical reactors on the basis of micromixing models 733

Ballinger, G.H., Bañares-Alcántara, R., Costello, D., Fraga, E.S., King, J., Krabbe, J., Laing, D.M., McKinnel, R.C., Ponton, J.W., Skilling, N. and Spenceley, M.W., Developing an environment for creative process design 316

Bañares-Alcántara, R. (see Ballinger, G.H.) 316

Bao, Z.-Y., Bosnich, M.G. and Haynes, B.S., Estimation of void fraction and pressure drop for two-phase flow in fine passages 625

Barreto, G.F. (see Mazza, D.) 441

Beenackers, A.A.C.M. (see Lammers, G.) 728

Benkreira, H., Mixing of masterbatches and thermoplastics in extrusion/injection moulding machines 723

Bertrand, J. (see Fort, I.) 455

Biegler, L.T. (see Schmid, C.) 382

Bilgen, E. (see Öztürk, I.T.) 241

Bogle, D. (see Lu, Y.) 371

Bojkov, B. and Luus, R., Application of iterative dynamic programming to time optimal control 72

Bosnich, M.G. (see Bao, Z.-Y.) 625

Bossen, B.S., Christiansen, L.J., Jarvan, J.E. and Gani, R., Simulation, optimization and data-reconciliation of industrial chemical processes 376

Bouchard, J.G., Payne, P.A. and Szyzko, S., Non-invasive measurement of process states using acoustic emission techniques coupled with advanced signal processing 20

Branch, C. (see Jamialahmadi, M.) 119

Bruinsma, O.S.L. (see Jansens, P.J.) 695

Bryant, R.B., Microbial enhanced hydrocarbon recovery and its potential for application to North Sea reservoirs 144

Buffham, B.A. (see Meacham, R.I.) 263

Burgass, R.W. (see Danesh, A.) 197

C

Cameron, I.T. (see Tatrai, F.Z.) 402

Chanda, M. (see Guria, C.) 503

Christiansen, L.J. (see Bossen, B.S.) 376

Clarkson, A. (see Lu, Y.) 371

Clay, R.L. and Grossmann, I.E., Optimisation of stochastic planning models 415

Costello, D.J., Evaluation of model-based control techniques for a buffered acid-base reaction system 47

Costello, D. (see Ballinger, G.H.) 316

D

Daichendt, M.M. and Grossmann, I.E., A preliminary screening procedure for MINLP heat exchanger network synthesis using aggregated models 357

Danesh, A., Tohidi, B., Burgass, R.W. and Todd, A.C., Hydrate equilibrium data of methyl cyclopentane with methane or nitrogen 197

Davies, S.R.H. (see Hansen, B.J.) 176

Davies, T.W. (see Keene, L.W.) 611

Davies, T.W. (see Meinhold, R.H.) 105

de Goede, R. (see Jansens, P.J.) 695

Dhole, V.R. (see Lestak, F.) 639

Dong Chen, X., On the relationship between the modified penetration theory and the laminar boundary layer transport theory 206

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part I: Model development 325

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part II: Design modifications 332

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part III: Optimization 341

Drott, D.W. (see Meacham, R.I.) 263

Dudczak, J., A modified network-of-zones model of mixing 651

Dyakowski, T., Hornung, G. and Williams, R.A., Simulation of non-Newtonian flow in a hydrocyclone 513

E

Ehsani, M.R. (see Korchinsky, W.J.) 465

Evans, D.J. (see Keene, L.W.) 611

F

Farooq, S., Rathor, M.N. and Hidajat, K., Shorter Communication: A modified continuous countercurrent flow model for a PSA separation process 105

Farouq Ali, S.M. (see Yeung, K.) 152

Fayolle, P. (see Fort, I.) 455

Field, R.W. (see Wang, Y.) 686

Floudas, C.A. (see Papalexandri, K.P.) 279

Fort, I., Poux, M., Fayolle, P. and Bertrand, J., Power input of a close clearance impeller in a highly viscous liquid in a spherical vessel 455

Fraga, E.S. and McKinnon, K.I.M., CHiPS: a process synthesis package 389

Fraga, E.S. (see Ballinger, G.H.) 316

G

Galiano, F.C. (see Montagna, J.M.) 783

Gani, R, (see Bossen, B.S.) 376

Gibbons, D.B. (see Keene, L.W.) 611

Gregory, A.T., DTI's improved oil recovery strategy 137

Grossmann, I.E. (see Clay, R.L.) 415

Grossmann, I.E. (see Daichendt, M.M.) 357

Guria, C. and Chanda, M., Shell-core models for ion-exchanger loading in finite bath: sorption of aqueous sulphur dioxide on cross-linked poly(4-vinyl pyridine) 503

H

Hammache, A. (see Öztürk, I.T.) 241

Hansen, B.J. and Davies, S.R.H., Review of potential technologies for the removal of dissolved components from produced water 176

Hapoglu, H. (see Wardle, A.P.) 551

Harris, T.W.R. (see Ashcroft, S.J.) 156

Hartland, S. (see Kumar, A.) 89

Hartland, S. (see Rincón-Rubio, L.M.) 493

Haynes, B.S. (see Bao, Z.-Y.) 625

Henshall, J.L. (see Wakeman, R.J.) 227

Hertberg, T. (see Storen, S.) 395

Hidajat, K. (see Farooq, S.) 105

Hidajat, K. (see Farooq, S.) 105

Hornung, G. (see Dyakowski, T.) 513

INDEX TO VOLUME 72 (PART A) 1994

AUTHORS AND PAPERS

A

Abu-Hakmeh, E.A. (see Armenante, P.M.) 677

Ahmed, K., Islam, K.A. and Ali, S., An optimal operating policy for high temperature shift converters 645

Ahmed, N. (see Parthasarathy, R.) 565

Ali, S. (see Ahmed, K.) 645

Allen, R.M. and Bakker, H.H.C., Spray dryer control based on online particle size analysis 251

Armenante, P.M. and Abu-Hakmeh, E.A., A novel method for the experimental determination of the minimum agitation speed for complete liquid-liquid dispersion in agitated liquid-liquid-gas systems 677

Ashcroft, S.J., Harris, T.W.R. and Shearn, R.B., High pressure PVT measurements on separator crude oil/carbon dioxide mixtures 156

Austin, L.G. (see Woodburn, E.T.) 211

B

Baird, M.H.I. (see Rama Rao, N.V.) 485

Bakker, A. and van den Akker, H.E.A., A computational model for the gas-liquid flow in stirred reactions 594

Bakker, A. and van den Akker, H.E.A., Gas-liquid contacting with axial flow impellers 573

Bakker, A. and van den Akker, H.E.A., Single-phase flow in stirred reactors 583

Bakker, H.H.C. (see Allen, R.M.) 251

Bakker, R.A. and van den Akker, H.E.A., A computational study of chemical reactors on the basis of micromixing models 733

Ballinger, G.H., Bañares-Alcántara, R., Costello, D., Fraga, E.S., King, J., Krabbe, J., Laing, D.M., McKinnel, R.C., Ponton, J.W., Skilling, N. and Spenceley, M.W., Developing an environment for creative process design 316

Bañares-Alcántara, R. (see Ballinger, G.H.) 316

Bao, Z.-Y., Bosnich, M.G. and Haynes, B.S., Estimation of void fraction and pressure drop for two-phase flow in fine passages 625

Barreto, G.F. (see Mazza, D.) 441

Beenackers, A.A.C.M. (see Lammers, G.) 728

Benkreira, H., Mixing of masterbatches and thermoplastics in extrusion/injection moulding machines 723

Bertrand, J. (see Fort, I.) 455

Biegler, L.T. (see Schmid, C.) 382

Bilgen, E. (see Öztürk, I.T.) 241

Bogle, D. (see Lu, Y.) 371

Bojkov, B. and Luus, R., Application of iterative dynamic programming to time optimal control 72

Bosnich, M.G. (see Bao, Z.-Y.) 625

Bossen, B.S., Christiansen, L.J., Jarvan, J.E. and Gani, R., Simulation, optimization and data-reconciliation of industrial chemical processes 376

Bouchard, J.G., Payne, P.A. and Szyzko, S., Non-invasive measurement of process states using acoustic emission techniques coupled with advanced signal processing 20

Branch, C. (see Jamialahmadi, M.) 119

Bruinsma, O.S.L. (see Jansens, P.J.) 695

Bryant, R.B., Microbial enhanced hydrocarbon recovery and its potential for application to North Sea reservoirs 144

Buffham, B.A. (see Meacham, R.I.) 263

Burgass, R.W. (see Danesh, A.) 197

C

Cameron, I.T. (see Tatrai, F.Z.) 402

Chanda, M. (see Guria, C.) 503

Christiansen, L.J. (see Bossen, B.S.) 376

Clarkson, A. (see Lu, Y.) 371

Clay, R.L. and Grossmann, I.E., Optimisation of stochastic planning models 415

Costello, D.J., Evaluation of model-based control techniques for a buffered acid-base reaction system 47

Costello, D. (see Ballinger, G.H.) 316

D

Daichendt, M.M. and Grossmann, I.E., A preliminary screening procedure for MINLP heat exchanger network synthesis using aggregated models 357

Danesh, A., Tohidi, B., Burgass, R.W. and Todd, A.C., Hydrate equilibrium data of methyl cyclopentane with methane or nitrogen 197

Davies, S.R.H. (see Hansen, B.J.) 176

Davies, T.W. (see Keene, L.W.) 611

Davies, T.W. (see Meinhold, R.H.) 105

de Goede, R. (see Jansens, P.J.) 695

Dhole, V.R. (see Lestak, F.) 639

Dong Chen, X., On the relationship between the modified penetration theory and the laminar boundary layer transport theory 206

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part I: Model development 325

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part II: Design modifications 332

Douglas, P.L., Jones, J.A.T. and Mallick, S.K., Modelling and simulation of crossflow grain dryers: Part III: Optimization 341

Drott, D.W. (see Meacham, R.I.) 263

Dudczak, J., A modified network-of-zones model of mixing 651

Dyakowski, T., Hornung, G. and Williams, R.A., Simulation of non-Newtonian flow in a hydrocyclone 513

E

Ehsani, M.R. (see Korchinsky, W.J.) 465

Evans, D.J. (see Keene, L.W.) 611

F

Farooq, S., Rathor, M.N. and Hidajat, K., Shorter Communication: A modified continuous countercurrent flow model for a PSA separation process 105

Farouq Ali, S.M. (see Yeung, K.) 152

Fayolle, P. (see Fort, I.) 455

Field, R.W. (see Wang, Y.) 686

Floudas, C.A. (see Papalexandri, K.P.) 279

Fort, I., Poux, M., Fayolle, P. and Bertrand, J., Power input of a close clearance impeller in a highly viscous liquid in a spherical vessel 455

Fraga, E.S. and McKinnon, K.I.M., CHiPS: a process synthesis package 389

Fraga, E.S. (see Ballinger, G.H.) 316

G

Galiano, F.C. (see Montagna, J.M.) 783

Gani, R, (see Bossen, B.S.) 376

Gibbons, D.B. (see Keene, L.W.) 611

Gregory, A.T., DTI's improved oil recovery strategy 137

Grossmann, I.E. (see Clay, R.L.) 415

Grossmann, I.E. (see Daichendt, M.M.) 357

Guria, C. and Chanda, M., Shell-core models for ion-exchanger loading in finite bath: sorption of aqueous sulphur dioxide on cross-linked poly(4-vinyl pyridine) 503

H

Hammache, A. (see Öztürk, I.T.) 241

Hansen, B.J. and Davies, S.R.H., Review of potential technologies for the removal of dissolved components from produced water 176

Hapoglu, H. (see Wardle, A.P.) 551

Harris, T.W.R. (see Ashcroft, S.J.) 156

Hartland, S. (see Kumar, A.) 89

Hartland, S. (see Rincón-Rubio, L.M.) 493

Haynes, B.S. (see Bao, Z.-Y.) 625

Henshall, J.L. (see Wakeman, R.J.) 227

Hertberg, T. (see Storen, S.) 395

Hidajat, K. (see Farooq, S.) 105

Hidajat, K. (see Farooq, S.) 105

Hornung, G. (see Dyakowski, T.) 513

Howell, J.A. (see Wang, Y.) 686
Hughes, R. (see Lukyaa, A.B.A.) 163

I

Iribarren, O.A., Malone, M.F. and Salomone, H.E., A heuristic approach for the design of hybrid batch-continuous processes 295
Iribarren, O.A. (see Montagna, J.M.) 783
Islam, K.A. (see Ahmed, K.) 645

J

Jachuck, R.R.J. and Ramshaw, C., Process intensification: polymer film compact heat exchanger (PFCHE) 255
Jamialahmadi, M., Branch, C. and Müller-Steinhagen, H., Shorter Communication: Terminal bubble rise velocity in liquids 119
Jansens, P.J., Bruinsma, O.S.L., van Rosmalen, G.M. and de Goede, R., A general control strategy for hydraulic packed bed wash columns 695
Janssen, L.P.B.M. (see Mozaryn, W.) 461
Jarvan, J.E. (see Bossen, B.S.) 376
Jones, J.A.T. (see Douglas, P.L.) 325, 332, 341
Joshi, J.B. (see Mishra, V.P.) 657
Jovanović, G.N. (see Sajc, L.M.) 236
Jovanović, Z.R. (see Sajc, L.M.) 236
Jutan, A. (see Zhong-Xiang Zhu) 64

K

Kataoka, T., Muto, A. and Nishiki, T., Adsorption equilibria of soluble silica into an OH-type strong anion exchange resin from a dilute solution 777
Keene, L.W., Gibbons, D.B., Evans, D.J. and Davies, T.W., Computer modelling validation for shell and tube heat exchangers 611
Keey, R.B. and Pang, S., The high-temperature drying of softwood boards: a kiln-wide model 741
Kershenbaum, L.S. and Kittisupakorn, P., The use of a partially simulated exothermic (PARSEX) reactor for experimental testing of control algorithms 55
King, J. (see Ballinger, G.H.) 316
Kiranoudis, C.T., Maroulis, Z.B. and Marinos-Kouris, D., Simulation of drying processes: an integrated computer-based approach 307
Kirkby, N.F. and Morgan, J.E.P., A theoretical investigation of pressure swing reaction 541
Kittisupakorn, P. (see Kershenbaum, L.S.) 55
Korchinsky, W.J., Ehsani, M.R. and Plaka, T., Sieve plate point efficiencies: 0.6 m diameter column 465
Korchinsky, W.J., Liquid mixing in distillation trays: simultaneous measurement of the diffusion coefficient and point efficiency 472
Krabbe, J. (see Ballinger, G.H.) 316
Krishnan, S. and Kumar, S., Analysis of improved disc and doughnut configuration in shell and tube heat exchangers 621
Kumar, A. and Hartland, S., Prediction of drop size, dispersed-phase, holdup, slip velocity, and limiting throughputs in packed extraction columns 89
Kumar, A. (Rincón-Rubio, L.M.) 493
Kumar, S. (see Krishnan, S.) 621

L

Laing, D.M. (see Ballinger, G.H.) 316
Lammers, G. and Beenackers, A.A.C.M., Heat transfer and production of hydroxypropyl starch in a static mixer reactor 728
Langrish, T.A.G. and Zbicinski, I., The effects of air inlet geometry and spray cone angle on the wall deposition rate in spray dryers 420
Lant, P.A. (see Tatrai, F.Z.) 402
Latto, B. (see Rama Rao, N.V.) 485
Lee, P.L. (see Tatrai, F.Z.) 402
Lestak, F., Smith, R. and Dhole, V.R., Heat transfer across the wall of dividing wall columns 639
Lin, X.J., Tade, M.O. and Newell, R.B., Structural approach to the synthesis of control systems 26
Lohne, K., Separation of solids from produced water using hydrocyclone technology 169
Low, S.L. (Shallcross, D.C.) 763
Lu, Y., Clarkson, A., Titchener-Hooker, N. and Bogle, D., Simulation as a tool in process design and management for production of intracellular enzymes 371
Ludlage, J. (see Oudbier, R.) 81
Lukyaa, A.B.A., Hughes, R., Millington, A. and Price, D., Evaluation of a North Sea oil for recovery by *in situ* combustion using high pressure differential scanning calorimetry 163
Luus, R. (see Bojkov, B.) 72

M

Macchietto, S. (see Xia, Q.) 408
McGiven, J.M. (see Tuoc, T.K.) 669
McKinnel, R.C. (see Ballinger, G.H.) 316
McKinnon, K.I.M. (see Fraga, E.S.) 389
Mackley, M.R. (see Wang, Y.) 686
Mallick, S.K. (see Douglas, P.L.) 325, 332, 341
Malone, M.F. (see Iribarren, O.A.) 295
Mansfield, K., Conversion of natural gas—the methanol route 201
Marinos-Kouris, D. (see Kiranoudis, C.T.) 307
Maroulis, Z.B. (see Kiranoudis, C.T.) 307
Mason, G. (see Meacham, R.I.) 263
Mazza, D. and Barreto, G.F., Radiative heat transfer rates between gas-fluidized beds and immersed surfaces 441
Meacham, R.I., Buffham, B.A., Mason, G. and Drott, D.W., Isothermal-enclosure air-bath thermostat for experimental apparatus, An 263
Meinhold, R.H., Salvador, S., Davies, T.W. and Slade, R.C.T., A comparison of the kinetics of flash calcination of kaolinite in different calciners 105
Millington, A. (see Lukyaa, A.B.A.) 163
Mishra, V.P. and Joshi, J.B., Flow generated by a disc turbine: Part IV: Multiple impellers 657
Mitrovic, M. (see Petkovska, M.) 713
Montagna, J.M., Iribarren, O.A. and Galiano, F.C., The design of multiproduct batch plants with process performance models 783
Montague, G.A. (see Morris, A.J.) 3
Morgan, J.E.P. (see Kirkby, N.F.) 541
Morris, A.J., Montague, G.A. and Willis, M.J., Artificial neural networks: studies in process modelling and control 3
Mozaryn, W., Janssen, L.P.B.M. and van Dierendonck, L.L., Design rule for pumping devices in a loop polymerization reactor 461
Müller-Steinhagen, H. (see Jamialahmadi, M.) 119
Muto, A. (see Kataoka, T.) 777

N

Nasr, J. (see Polley, G.T.) 616
Newell, R.B. (see Lin, X.J.) 26
Newell, R.B. (see Tatrai, F.Z.) 402
Ng, S.G. (see Wakeman, R.J.) 227
Nilsson, B., Dynamic modelling of chemical processes using Omola 364
Nishiki, T. (see Kataoka, T.) 777

O

Oudbier, R., Zhu, Y. and Ludlage, J., Identification and robust control of a stabiliser 81
Öztürk, I.T., Hammache, A., and Bilgen, E., A new process for oxygen generation step for the hydrogen producing sulphur-iodine thermochemical cycle 241

P

Pang, S. (see Keey, R.B.) 741
Panja, N.C. and Phaneswararao, D., Volumetric mass transfer coefficients from desorption data 633
Papalexandri, K.P., Pistikopoulos, E.N. and Floudas, C.A., Mass exchange networks for waste minimization: a simultaneous approach 279
Papalexandri, K.P. and Pistikopoulos, E.N., Synthesis of cost optimal and controllable heat exchange networks 350
Parthasarathy, R. and Ahmed, N., Sauter mean and maximum bubble diameters in aerated stirred vessels 565
Payne, P.A. (see Bouchard, J.G.) 20
Pešić, R.D. (see Sajc, L.M.) 236
Petkovska, M. and Mitrovic, M., One-dimensional, non-adiabatic, microscopic model of electrothermal desorption process dynamics 713
Phaneswararao, D. (see Panja, N.C.) 633
Pistikopoulos, E.N. (see Papalexandri, K.P.) 279, 350
Plaka, T. (see Korchinsky, W.J.) 465

Polley, G.T., Nasr, J. and Terranova, A., Determination and application of the benefits of heat transfer enhancement 616
Ponton, J.W. (see Ballinger, G.H.) 316
Postlethwaite, B., A model-based fuzzy controller 38
Poux, M. (see Fort, I.) 455
Prasad, D.H.L., Shorter Communication: Edmister's rule for the acentric factor 123
Price, D. (see Lukyaa, A.B.A.) 163

R
Rama Rao, N.V., Latto, B. and Baird, M.H.I., Liquid-liquid vortex rings: hydrodynamics and mass transfer 485
Ramshaw, C. (see Jachuck, R.R.J.) 255
Rathor, M.N. (see Farooq, S.) 105
Rincón-Rubio, L.M., Kumar, A. and Hartland, S., Drop-size distribution and average drop size in a Wirz extraction column 493

S
Sajc, L.M., Jovanović, Z.R., Vunjak-Novaković, G., Jovanović, G.N., Pešić, R.D. and Vukovic, D.V., Liquid dispersion in a magnetically stabilised fluidized bed 236
Salomone, H.E. (Iribarren, O.A.) 295
Salvador, S. (see Meinhold, R.H.) 105
Schmid, C. and Biegler, L.T., A simultaneous approach for flowsheet optimization with existing modelling procedures 382
Shallcross, D.C. and Low, S.L., Construction of psychrometric charts for systems other than water vapour in air 763
Shearn, R.B. (see Ashcroft, S.J.) 156
Skilling, N. (see Ballinger, G.H.) 316
Slade, R.C.T. (see Meinhold, R.H.) 105
Smith, J.M. and Tarry, K., Impeller power demand in boiling solutions 739
Smith, R. (see Lestak, F.) 639
Spenceley, M.W. (see Ballinger, G.H.) 316
Stockton, J.B. (see Woodburn, E.T.) 211
Storen, S. and Hertzberg, T., Local thermodynamic models applied in dynamic process simulation: a simplified approach 395
Szyzko, S. (see Bouchard, J.G.) 20

T
Tade, M.O. (see Lin, X.J.) 26
Tarleton, E.S. and Wakeman, R.J., Understanding flux decline in crossflow microfiltration: Part II—Effects of process parameters 431
Tarleton, E.S. and Wakeman, R.J., Understanding flux decline in crossflow microfiltration: Part III: Effects of membrane morphology 521
Tarry, K. (see Smith, J.M.) 739
Tatrai, F.Z., Lant, P.A., Lee, P.L., Cameron, I.T. and Newell, R.B., Model reduction for regulatory control: an FCCU case study 402
Terranova, A. (see Polley, G.T.) 616
Titchener-Hooker, N. (see Lu, Y.) 371
Todd, A.C. (see Danesh, A.) 197
Tohidi, B. (see Danesh, A.) 197
Tuoc, T.K. and McGiven, J.M., Laminar flow of non-Newtonian fluids in annuli 669

V
van den Akker, H.E.A. (see Bakker, A.) 573, 583, 594
van den Akker, H.E.A. (see Bakker, R.A.) 733
van Dierendonck, L.L. (see Mozaryn, W.) 461
van Rosmalen, G.M. (see Jansens, P.J.) 695
Vuković, D.V. (see Sajc, L.M.) 236
Vunjak-Novaković, G. (see Sajc, L.M.) 236

W
Wakeman, R.J., Henshall, J.L. and Ng, S.G., SiAlON membrance coated silicon nitride microfilters 227
Wakeman, R.J., Visualisation of cake formation in crossflow microfiltration 530
Wakeman, R.J. (see Tarleton, E.S.) 431, 521
Waldie, B. (see Wilkinson, D.) 189
Wang, Y., Howell, J.A., Field, R.W. and Mackley, M.R., Oscillatory flow within porous tubes containg wall or central baffles 686
Wardle, A.P. and Hapoglu, H., On the solution of models of binary and multicomponent packed distillation columns using orthogonal collocation on finite elements 551
Whalley, P.B. and Zeng, Z., Wait and see control 754
Wilkinson, D. and Waldie, B., CFD and experimental studies of fluid and particle flow in horizontal primary separators 189
Williams, R.A. (see Dyakowski, T.) 513
Willis, M.J. (see Morris, A.J.) 3
Woodburn, E.T., Austin, L.G. and Stockton, J.B., A froth based flotation kinetic model 211

X
Xia, Q. and Macchietto, S., Routing, scheduling and product mix optimisation by minimax algebra models 408

Y
Yeung, K. and Farouq Ali, S.M., Viscous effects for waterflooding in heterogeneous porous media 152

Z
Zbicinski, I. (see Langrish, T.A.G.) 420
Zeng, Z. (see Whalley, P.B.) 754
Zhong-Xiang Zhu and Jutan, A., Model identification and optimal stochastic control of a multivarible pressure tank system 64
Zhu, Y. (see Oudbier, R.) 81

TITLES AND KEYWORDS

A
absorption 633
acentric factor 123
acoustic monitoring 20
adsorption 777
Adsorption equilibria of soluble silica into an OH-type strong anion exchange resin from a dilute solution, Kataoka, T., Muto, A. and Nishiki, T. 777
aerated stirred vessel 565
agitated contactor 633
agitation 573, 583, 594
agitator hydrodynamics 739
AIChE model 465, 472
air-bath 263
Analysis of improved disc and doughnut configuration in shell and tube heat exchangers, Krishnan, S. and Kumar, S. 621
Application of iterative dynamic programming to time optimal control, Bojkov, B. and Luus, R. 72
Artificial neural networks, Morris, A.J., Montague, G.A. and Willis, M.J. 3
axial dispersion 236
axial flow impeller 461

B
baffled membranes 686
batch peformance models 783
batch process design 295
batch processing 408
batch process synthesis 295
bioprocess design 371
boiling reactors 739
bottom water 152
boundary layer 206
BTX 176
bubble breakup 565
bubble point 156
bypass flow 611

C
carbon dioxide 156
ceramic 227
CFD and experimental studies of fluid and particle flow in horizontal primary separators, Wilkinson, D. and Waldie, B. 189
chemical process 376
CHiPS: a process synthesis package, Fraga, E.S. and McKinnon, K.I.M. 389
chromatograph 263
chromatographic oven design 263
close clearance impeller 455
coal 211
compact polymer heat exchangers 255

Comparison of the kinetics of flash calcination of kaolinite in different calciners, A, Meinhold, R.H., Salvador, S. Davies, T.W. and Slade, R.C.T. 105
competitive advantage 137
compressibility 156
computational fluid dynamics 583, 594, 686
Computational model for the gas-liquid flow in stirred reactions, A, Bakker, A. and van den Akker, H.E.A. 594
Computational study of chemical reactors on the basis of micromixing models, A, Bakker, R.A. and van den Akker, H.E.A. 733
Computer modelling validation for shell and tube heat exchangers, Keene, L.W., Gibbons, D.B., Evans, D.J. and Davies, T.W. 611
computer simulation 713
concentric annuli 669
Construction of psychrometric charts for systems other than water vapour in air, Shallcross, D.C. and Low, S.L. 763
contact angle 521
continuous countercurrent flow 114
continuous solid/liquid separator 695
control 55, 754
controllability 350
control pairing 26
control strategy 695
Conversion of natural gas—the methanol route, Mansfield, K. 201
correlation 625
crossflow 152
crossflow grain dryer 325, 332, 341
crossflow velocity 431
crude oil 156
crystallisation 20

D
data-reconciliation 376
dehydration plants 307
delay 754
density 156
desanding 169
design 307, 332, 341, 695
design of batch plants 783
Design of multiproduct batch plants with process performance models, The Montagna, J.M., Iribarren, O.A. and Galiano, F.C. 783
Design rule for pumping devices in a loop polymerization reactor, Mozaryn, W., Janssen, L.P.B.M. and van Dierendonck, L.L. 461
desorption 633, 713
Determination and application of the benefits of heat transfer enhancement, Polley, G.T., Nasr, J. and Terranova, A. 616
Developing an environment for creative process design, Ballinger, G.H., Bañares-Alcántara, R., Costello, D., Fraga, E.S., King, J., Krabbe, J., LAing, D.M., McKinnel, R.C., Ponton, J.W., Skilling, N. and Spenceley, M.W. 316
differential scanning calorimetry 163
digital 754
dilute soluble silica 777
disc and doughnut baffle 621
discrete events 264, 408
disc turbine 657
dispersed-phase holdup 89
dispersion of droplets 485
dissolved component removal 176
distillation 465, 472, 639
distribution control 251
dividing wall column 639
drop size 89
drop-size distribution 493
Drop-size distribution and average drop size in a Wirz reaction column, Rincón- Rubio, L.M., Kumar, A. and Hartland, S. 493
drying 325, 332, 341
DTI's improved oil recovery strategy, Gregory, A.T. 137
Dynamic modelling of chemical processes using Omola, Nilsson, B. 364
dynamics 713
dynamic simulation 371, 395

E
Edmister's rule for the acentric factor, Prasad, D.H.L. 123
Effects of air inlet geometry and spray cone angle on the wall deposition rate in spray dryers, The, Langrish, T.A.G. and Zbicinski, I. 420
electrical conductivity 633
electrothermal 713
energy reduction 639
enhanced oil recovery (EOR) 152
enhanced recovery 137
equation of state 395
equilibria 777
estimation 55
Estimation of void fraction and pressure drop for two-phase flow in fine passages, Bao, Z.-Y., Bosnich, M.G. and Haynes, B.S. 625
Evaluation of a North Sea oil for recovery by *in situ* combustion using high pressure differential scanning calorimetry, Lukyaa, A.B.A., Hughes, R., Millington, A. and Price, D. 163
Evaluation of model-based control techniques for a buffered acid-base reaction system, Costello, D.J. 47
exchanger design 616
extraction 485
extraction column 89
extrusion 723

F
filtration 521
fine passages 625
finite elements 551
flash calcination 105
flotation 211
flow fields 583, 657
Flow generated by a disc turbine: Part IV: Multiple impellers, Mishra, V.P. and Joshi, J.B. 657
flow simulation 513
flow visualisation 611
fluid catalytic cracking 402
fluidized bed 441
fouling 431, 521, 530
fractional suspension crystallization 695
friction factor 669
Froth based flotation kinetic model, A., Woodburn, E.T., Austin, L.G. and Stockton, J.B. 211
fuzzy-control 38

G
gas conversion 201
gas holdup 573, 594
gas hydrates 197
Gas-liquid contacting with axial flow impellers, Bakker, A. and van den Akker, H.E.A. 573
gas-liquid flow 573, 594
General control strategy for hydraulic packed bed wash columns, A, Jansens, P.J., Bruinsma, O.S.L., van Rosmalen, G.M. and de Goede, R. 695
generalised Reynolds number 669
generic model control 55
GMC 47
gPROMS 371

H
heat and mass transfer 206, 325
heat exchanger networks 350, 357
heat exchangers 255, 611
heat transfer 441, 639, 728
Heat transfer across the wall of dividing wall columns, Lestak, F., Smith, R. and Dhole, V.R. 639
heat transfer and production of hydroxypropyl starch in a static mixer reactor, Lammers, G. and Beenackers, A.A.C.M. 728
heat transfer enhancement (augmentation) 616
heavy metals 176
helical ribbon impeller 461
heterogeneous reservoirs 152
Heuristic approach for the design of hybrid batch-continuous processes, A, Iribarren, O.A., Malone, M.F. and Salomone, H.E. 295
highly viscous liquid 455

High pressure PVT measurements on separator crude oil/carbon dioxide mixtures, Ashcroft, S.J., Harris, T.W.R. and Shearn R.B. 156
High-temperature drying of softwood boards: a kiln-wide model, The, Keey, R.B. and Pang, S. 741
high temperature shift converter 645
humidity 741, 763
Hydrate equilibrium data of methyl cyclopentane with methane or nitrogen, Danesh, A., Tohidi, B., Burgass, R.W. and Todd, A.C. 197
hydraulic packed bed wash column 695
hydrocyclone 169
hydrocyclone separation 513

I
Identification and robust control of a stabiliser, Oudbier, R., Zhu, Y. and Ludlage, J. 81
impeller 573, 583
Impeller power demand in boiling solutions, Smith, J.M. and Tarry, K. 739
impeller power input 455
improved reservoir management 137
industrial 376
innovation 137
inorganic 227
in situ combustion 163
integral 754
intensification 255, 616
interrupted 754
ion exchange 777
ion-exchanger 503
IOR 137
Isothermal-enclosure air-bath thermostat for experimental apparatus, An, Meacham, R.I., Buffham, B.A., Mason, G. and Drott, D.W. 263
iterative dynamic programming 72

K
Kalman filter 55
kaolinite 105
kiln drying 741
kinetics 105, 211

L
Lagrange multipliers 382
laminar flow 206, 455
Laminar flow of non-Newtonian fluids in annuli, Tuoc, T.K. and McGiven, J.M. 669
laser anemometry 657
laser Doppler 583
layered reservoirs 152
linearisation 47
linear programming 415
Liquid dispersion in a magnetically stabilized fluidized bed (MSFB), Sajc, L.M., Jovanović, Z.R., Vunjak-Novaković, G., Jovanović, G.N., Pešić, R.D. and Vuković, D.V. 236
liquid-liquid dispersion 677
liquid-liquid-gas mixture 677
Liquid-liquid vortex rings: hydrodynamics and mass transfer, Rama Rao, N.V., Latto, B. and Baird, M.H.I. 485
Liquid mixing in distillation trays: simultaneous measurement of the diffusion coefficient and point efficiency, Korchinsky, W.J. 472
liquid MSFB 236
liquid pumping 461
Local thermodynamic models applied in dynamic process simulation: a simplified approach, Storen, S. and Hertzberg, 395
loop reactor 461
LQC control 64

M
macromixing of liquids 651
Mass exchange networks for waste minimization: a simultaneous approach, Papalexandri, K.P., Pistikopoulos and Floudas, C.A. 279
mass exchange networks (MENs) 279
mass transfer 573, 594
masterbatch 723
mathematical modelling 651, 713
maximum bubble diameter 565
membranes 227, 431, 521, 530
methane 197
methanol 201
methyl cyclo-pentane 197
Microbial enhanced hydrocarbon recovery and its potential for application to North Sea reservoirs, Bryant, R.S. 144
microfiltration 227, 431, 530
microorganisms 144
minimax algebra models 408
minimum agitation speed (or intensity) 677
MINLP 279, 350
mixed-integer optimization 357
mixing 573, 583, 594, 677
Mixing of masterbatches and thermoplastics in extrusion/injection moulding machines, Benkreira, H. 723
mixing tank 677
mixing vessels 677
model-based control 38, 47
Model-based fuzzy controller, A, Postlethwaite, B. 38
model databases 264
Model identification and optimal stochastic control of a multivariable pressure tank system, Zhong-Xiang Zhu and Jutan, A. 64
model libraries 264
modelling 307, 325, 371, 441, 541
Modelling and simulation of crossflow grain dryers. Part I: Model development, Douglas, P.L., Jones, J.A.T. and Mallick, S.K. 325
Modelling and simulation of crossflow grain dryers. Part II: Design modifications, Douglas, P.L., Jones, J.A.T. and Mallick, S.K. 332
Modelling and simulation of crossflow grain dryers. Part III: Optimization, Douglas, P.L., Jones, J.A.T. and Mallick, S.K. 341
Model reduction for regulatory control: an FCCU case study, Tatrai, F.Z., Lant, P.A., Lee, P.L., Cameron, I.T. and Newell, R.B. 402
Modified continuous countercurrent flow model for a PSA separation process, A, Farooq, S. Rathor, M.N. and Hidajat, K. 114
Modified network-of-zones model of mixing, A, Dudczak, J. 651
modular simulators 307
morphology 521
MSFB 236
multicomponent distillation 551
multiple impellers 657
multiproduct batch plants 783
multivariable control 64, 402
multivariable process 81

N
neural networks 3, 20
neutralisation 47
New process for oxygen generation step for the hydrogen producing sulphur-iodine thermochemical cycle, A, Öztürk, I.T., Hammache, A. and Bilgen, E. 241
nitrogen 114, 197
noncircular baffle cut 621
Non-invasive measurement of process states using acoustic emission techniques coupled with advanced signal processing, Bouchard, J.G., Payne, P.A. and Szyszko, S. 20
nonlinear control 55
non-linear optimization 389
non-Newtonian 669
normalised moisture content 741
North Sea oil 163
Novel method for the experimental determination of the minimum agitation speed for complete liquid-liquid dispersion in agitated liquid-liquid-gas systems, A, Armenante, P.M. and Abu-Hakmeh, E.A. 677
nuclear hydrogen 241
numerical simulation 420

O
object-oriented modelling 264
offshore 169, 201
OH-type strong anion exchanger 777

oil and gas condensate 197
oilfield chemicals 176
oil recovery 144, 163
oil/water separation 189
One-dimensional, non-adiabatic, microscopic model of electrothermal process dynamics, Petkovska, M. and Mitrovic, M. 713
oil recovery 144, 163
oil/water separation 189
One-dimensional, non-adiabatic, microscopic model of electrothermal process dynamics, Petkovska, M. and Mitrovic, M. 713
On the relationship between the modified penetration theory and the laminar boundary layer transport theory, Dong Chen, X. 206
On the solution of models of binary and multicomponent packed distillation columns using orthogonal collocation of finite elements, Wardle, A.P. and Hapoglu, H. 551
optimal control 64
Optimal operating policy for high temperature shift converters, An, Ahmed, K., Islam, K.A. and Ali, S. 645
Optimisation of stochastic planning models, Clay, R.L. and Grossmann, I.E. 415
optimization 341, 376, 645
orthogonal collocation 713
Oscillatory flow within porous tubes containing wall or central baffles, Wang, Y., Howell, J.A., Field, R.W. and Mackley, M.R. 686
oxygen 114

P
packed columns 89, 551
parallel computing 389
particle properties 431
particle size 251
pattern recognition 20
penetration theory 206
pH 47
phase equilibria 395
pilot scale experiments 695
pilot testing 169
pitched blade turbine 657
plate efficiency 472
point efficiencies 465
poly(4-vinyl pyridine) 503
polymerization 777
polymerization reactor 461
Power input of a close clearance impeller in a highly viscous liquid in a spherical vessel, Fort, I., Poux, M., Fayolle, P. and Bertrand, J. 455
power-law fluid 513
Prediction of drop size, dispersed-phase holdup, slip velocity, and limiting throughputs in packed extraction columns, Kumar, A. and Hartland, S. 89
predictive control 3
Preliminary screening procedure for MINLP heat exchanger network synthesis using aggregated models, A, Daichendt, M.M. and Grossman, I.E. 357
pressure 431, 541
pressure drop 625
pressure loss 611
pressure swing adsorption 114
primary separator 189
process control 3, 754
process control structural design 26
process flowsheeting 307
Process intensification: polymer film compact heat exchanger (PFCHE), Jachuck, R.J.J. and Ramshaw, C. 255
process models 264
process monitoring 3
process optimization 382, 616
process synthesis 350, 357, 389
produced water 169
produced water treatment 176
production flexibility 81
production planning 415
product mi x408
product quality 81
pseudoplastic 669
psychrometry 763

R
radial dispersion 236
radiation 441
Radiative heat transfer rates between gas-fluidized beds and immersed surfaces, Mazza, D. and Barreto, G.F. 441
reaction 541
reactors 55
regular perturbation 402
relative drying rate 741
Review of potential technologies for the removal of dissolved components from produced water, Hansen, B.R. and Davies, S.R.H. 176
rheology 513
robust process control 81
routing 408
Routing scheduling and product mix optimisation by minimax algebra models, Xia, Q and Macchietto, S. 408
RS-10 114

S
Sauter mean and maximum bubble diameters in aerated stirred vessels, Parthasarathy, R. and Ahmed, N. 565
Sauter mean diameter 493, 565
scheduling 408
sealing strips 611
separation 189
Separation of solids from produced water using hydrocyclone technology, Lohne, K. 169
sequential modular 382
shell and tube heat exchanger 621
Shell-core models for ion-exchanger loading in finite bath: sorption of aqueous sulphur dioxide on a cross-linked poly(4-vinyl pyridine), Guria, C. and Chanda, M. 503
shellside 611
shellside heat transfer coefficient 621
shellside pressure drop 621
SiAON membrane coated silicon nitride microfilters, Wakeman, R.J., Henshall, J.L. and Ng, S.G. 227
Sieve plate point efficiencies: 0.6 m diameter column, Korchinsky, W.J., Ehsani, M.R. and Plaka, T. 465
sieve plates 465, 472
simulation 264, 325, 332, 376, 551
Simulation, optimization and data-reconciliation of industrial chemical processes, Bossen, B.S., Christiansen, L.J., Jarvan, J.E. and Gani, R. 376
Simulation as a tool in process design and management for production of intracellular enzymes, Lu, Y., Clarkson, A., Titchener-Hooker, N. and Bogle, D. 371
Simulation of drying processes: an integrated computer-based approach, Kiranoudis, C.T., Maroulis, Z.B. and Marinos-Kouris, D. 307
Simulation of non-Newtonian flow in a hydrocyclone, Dyakowski, T., Hornung, G. and Williams, R.A. 513
Simultaneous approach for flowsheet optimization with existing modelling procedures, A, Schmid, C. and Biegler, L.T. 382
Single-phase flow in stirred reactors, Bakker, A. and van den Akker, H.E.A. 583
singular perturbation 402
slip velocity 89
solids separation 169
sorption 503
spherical vessel 455
spray dryer 420
Spray dryer control based on online particle size analysis, Allen, R.M. and Bakker, H.H.C. 251
stabiliser 81
stack of timber boards 741
starch derivation 728
static mixer 728
steam reforming 201
stirred tanks 657, 677
stochastical control 64
stochastic optimization 415
strategy 137

Structural approach to the synthesis of control systems, Lin, X.G., Tade, M.O. and Newell, R.B. 26
structural controllability 26
structure H 197
successive quadratic programming 382
sulphur dioxide 503
sulphur iodine thermochemical cycle 241
supplemental recovery 137
surface charge 521
swing 541
synthesis of control structures 26
Synthesis of cost optimal and controllable heat exchange networks, Papalexandri, K.P. and Pistikopoulos, E.N. 350

T
Taylor's hypothesis 206
temperature control 263
Terminal bubble rise velocity in liquids, Jamialahmadi, M., Branch, C. and Müller-Steinhagen, H. 119
Theoretical investigation of pressure swing reaction, A, Kirkby, N.F. and Morgan, J.E.P. 541
thermal coupling 639
thermodynamics 395
thermohydraulics 621
thermophysical properties 123
thermoplastics 723
thermostat 263
throughput limits 89
time optimal control 72
time series analysis 64
two-phase flow 625

U
Understanding flux decline in crossflow microfiltration: Part II—Effects of process parameters, Tarleton, E.S. and Wakeman, R.J. 431
Understanding flux decline in crossflow microfiltration: Part III—Effects of membrane morphology, Tarleton, E.S. and Wakeman, R.J. 521
Use of a partially simulated exothermic (PARSEX) reactor for experimental testing of control algorithms, The, Kershenbaum, L.S. and Kittisupakorn, P. 55
user interfaces 389

V
vapour-liquid dispersion 739
virial equation 763
Viscous effects for waterflooding in heterogeneous porous media, Kacheong Yeung and Farouq Ali, S.M. 152
Visualisation of cake formation in crossflow microfiltration, Wakeman, R.J. 530
void fraction 625
Volumetric mass transfer coefficients from desorption data, Panja, N.C. and Phaneswararao, D. 633
vortex rings 485
vortex structure 686

W
Wait and see control, Whalley, R. and Zeng, Z. 754
wall deposition 420
waste minimization 279
waterflooding 152
wealth creation 137
Wirz extractor 493

BOOKS REVIEWED

Catalysis of organic reactions. J.R. Kosak and T. A. Johnson (eds) (Marcel Dekker) Reviewed by M.A. Hughes 703
Corrosion resistant piping systems. P.A. Schweitzer (Marcel Dekker) Reviewed by R.C. Roberts 792
Corrosion—Volume 1: metal/environment reactions and Volume 2: corrosion control. L.L. Shreir, R.A. Jarman and G.T. Burstein (eds) (Butterworth-Heinemann) Reviewed by R.F. Smith 792
Handbook of polymer solution thermodynamics, R.P. Danner and M.S. High. (AIChemE). Reviewd by S. Rostami 272
Handbook of polyolefins—synthesis and properties. C. Vasile and R. Seymour (eds) (Marcel Dekker) Reviewed by T.G. Hegg 272
Models for thermodynamic and phase equilibria calculations. S.T. Sandler (ed) (Marcel Dekker) Reviewed by G. Saville 607
Multicomponent mass transfer. R. Taylor and R. Krishna. (John Wiley & Sons) Reviewed by W.R. Patterson 703
Petroleum refining, technology and economics. J.H. Gray and G.E. Handwerk. (Marcel Dekker) Reviewed by A.H. Edwards 479
Pressure swing adsorption. D.M. Ruthven, S. Farooq and K.S. Knaebel (VCH) Reviewed by C.N. Kenney 793

REGULAR FEATURES

Contents of the Canadian Journal of Chemical Engineering 127, 276, 482, 608, 707
Doctorates in Chemical Engineering 1992–93 128
List of referees 797